Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
285	0	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with nonrecipric\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S S	O TE	2005/12/14 16:35
283	0	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-recipric\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	- - -	2005/12/14 16:35
<b>584</b>	0	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-rerecipit\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ő	OFF	2005/12/14 16:36
285	0	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-recipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF.	2005/12/14 16:36
286	0	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with nonrecipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SO.	OFF	2005/12/14 16:38
287	1	((coupler or couplers or coupling or coupled or couples or couple) with nonrecipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	O <sub>R</sub>	OFF	2005/12/14 16:38

888	0	((coupler or couplers or coupling or coupled or couples or couple) with non-recipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	e e	FO.	2005/12/14 16:36
685	-	((coupler or couplers or coupling or coupled or couples or couple) same nonrecipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SQ.	OFF	2005/12/14 16:38
065	<b>.</b>	((coupler or couplers or coupling or coupled or couples or couple) same non-recipri\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 16:38
231	122	((second near2 (waveguide or waveguides)) with (different near2 (index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ő	OFF	2005/12/14 16:38
292	154	((second near2 (waveguide or waveguides)) with (different near2 (index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	g	NO O	2005/12/14 16:38
293	-	("6724968").PN.	USPAT	R	OFF	2006/01/04 10:01
S94	-	S93 and (index or indices)	USPAT	QR.	OFF	2006/01/04 10:01
295	<b>***</b>	("5432873").PN.	USPAT	g	OFF	2006/01/04 10:01
965	-	S95 and (index or indices)	USPAT	QR.	OFF	2006/01/04 10:01
297		("6785449").PN.	USPAT	8	OFF	2006/01/04 10:01
868	0	S97 and (different near2 (index or indices))	USPAT	&	OFF	2006/01/04 10:01

Search History 1/4/06 5:46:55 PM Page 2 C:\Documents\EAST\Workspaces\10717558.wsp

665	1	("5123078").PN.	USPAT	OR.	OFF	2006/01/04 10:01
S10 0	0	S99 and (different near2 (index or indices))	USPAT	OR	OFF	2006/01/04 10:01
S10 1	1	S97 and (index or indices)	USPAT	OR	OFF	2006/01/04 10:01
S10 2	2214	((385/28) or (385/42) or (385/43) or (385/48)).CCLS.	US-PGPUB; USPAT; USOCR	8	OFF	2006/01/04:10:01
S10 3	918	(385/50).CCLS.	US-PGPUB; USPAT; USOCR	S S	OFF	2006/01/04 10:01
S10	539	(S102 or S103) and (single-mode or singlemode or (single adj mode)) and (mutli-mode or multimode or (multiple adj modes))	US-PGPUB; USPAT; USOCR	ಜ	OFF	2006/01/04 10:01
S10 5	10	S104 and ((second near2 (waveguide or waveguides or guide or guides)) with (index near2 different))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 10:01
S10 6	136	"385"/\$:ccls. and (vertical near2 (coupler or couplers))	US-PGPUB; USPAT; USOCR	R	OFF	2006/01/04 10:01
S10 7	2	("6115515"   "6282335").PN. OR ("6785449").URPN.	US-PGPUB; USPAT; USOCR	S S	OFF	2006/01/04 10:01
S10 8	71	("3809696"   "3809732"   "3953620"   "3993485"   "4712854"   "5009483"   "5121462"   "5159699"   "5402514"   "5544268"   "5874187"   "5932397"   "6035083"):PN.: OR ("6724968").URPN.	US-PGPUB; USPAT; USOCR	R	O-FF	2006/01/04:10:01
S10 9	20	("3995311"   "5159699"   "5222162"   "5367584"   "5394239"   "5465310"   "5481633").PN. OR ("5854866").URPN.	US-PGPUB; USPAT; USOCR	S,	OFF	2006/01/04 10:01
S11 0	-	("2004/0126072");URPN.	USPAT	OR	OFF	2006/01/04 10:01

2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01
OFF	OFF	OFF	OFF	OFF	OFF	OFF	A D
NO.	Ŗ	OR	8	SO.	SO	R	OR
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples)) and (isolator or isolators).ti.	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or regions or section or sections)) and (isolator or isolators).ab.	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or regions or section or sections)) and (isolator or isolators).ti.	((second or other or another or top) near2 (waveguide or waveguides or waveguiding or (light adj guide) or (light adj guides) or light-guide or light-guides or (light adj guiding) or lightguide or lightguides or lightguiding)) with ((different or second) near2 (index or indices))	S114 and (multi-mode or multi-modes or (multiple adj mode) or (multiple adj modes) or multimode or multimodes or mmi)	("2004/0114872").URPN.	("4679894"   "5465310"   "5581642"   "5857039"   "5970186"   "6122416"   "6144780"   "6282335"   "6311004").PN. OR ("6535672").URPN.	("4753505"   "4859059"   "5251274"   "5369718"   "5465310"   "5966493"). PN. OR ("6144780").URPN.
7	12	m	57.1	150	2 (	12 (	7
511	15.2 2.2	33	1124	S11 5	S11 6	S11 7	S11 8

Search History 1/4/06 5:46:55 PM Page 4 C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10717558.wsp

14 ("4026632"   "4400053"   "4581315"   "4615962"   ("5845025").URPN.	"4431263"   "4439514"   "4483583"   "4536450"   US-PGPUB;   "4759596"   "4950044"   "5071997").PN. OR USPAT;   USOCR		OFF	2006/01/04 10:01
	US-PGPUB; USPAT; USOCR	ž	- -	Z006/01/04 10:01
20 ("3995311"   "5159699"   "5222162"   "5367584"   "5394239"   "5465310" "5481633").PN. OR ("5854866").URPN.	I US-PGPUB; USPAT; USOCR	& S	OFF	2006/01/04 10:01
6 (("6535672") or ("6144780") or ("6122416") or ("5854866") or ("5845025") or ("4146297")).PN.	USPAT	S S	OFF	2006/01/04 10:01
12 ("4679894"   "5465310"   "5581642"   "5857039"   "5970186"   "6122416"   "6144780"   "6282335"   "6311004").PN. OR ("6535672").URPN.	I US-PGPUB; USPAT; USOCR	8	OFF	2006/01/04 10:01
7 ("4753505"   "4859059"   "5251274"   "53697 PN. OR ("6144780").URPN.	4"   "53697.18"   "54653.10"   "5966493").   US-PGPUB;   (USPAT;   USOCR   USO	æ	OFF	2006/01/04 10:01
14 ("4026632"   "4400053"   "4431263"   "4439514"   "4483583"   "4536 "4581315"   "4615962"   "4759596"   "4950044"   "5071997").PN. OR ("5845025").URPN.	450"   US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 10:01
Sea (single-mode or (single adj mode)) near2 (waveguide or waveguides or waveguiding or wave-guide or wave-guides or wave-guides or wave-guiding or (wave adj guide) or (wave adj guide) or (wave adj guides) or (wave adj guiding) or lightguides or lightguiding or light-guide or light-guides or light-guide) or (light adj guide) or (light adj guide) and ((multi-mode or mmi or multimode) near2 (coupler or couplers or coupling))	des or US-PGPUB; ave adj USPAT; USOCR; ilding or EPO; JPO; multi-mode DERWENT;	% ————————————————————————————————————	OFF	2006/01/04 10:01
177 S126 and (isolator or isolators or isolate or isolates or isolating or isolation or filter or filters or filtering or filtered or circulator or circulators)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SO.	OFF	2006/01/04 10:01
0 ("2005/0111777");URPN.	USPAT	S.	OFF	2006/01/04 10:01
0 ("2004/0252934").URPN.	USPAT	OR	OFF	2006/01/04 10:01

Search History 1/4/06 5:46:55 PM Page 5 C:\Documents\EAST\Workspaces\10717558.wsp

OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04:10:01
OR O	g 0	<u>8</u>	OR O	& <u>o</u>	OR O	<u>o</u>	OR O	OR O	o O	OR O	S 0
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; HSOCR
("20040252957"   "4693547"   "5694498"   "6222951").PN. OR ("6904187").URPN.	"equivalent refractive index"	"equivalent refractive index" with cladding	("6724968").PN.	("5432873").PN.	("6785449").PN.	S135 and (different near2 (index or indices))	("5123078").PN.	S137 and (different near2 (index or indices))	((385/28) or (385/42) or (385/43) or (385/48)):CCLS.	(385/50).CCLS.	(S139 or S140) and (single-mode or singlemode or (single adj mode)) and (mutli-mode or multimode or (multiple adj mode))
4	952	73		1	-	0	-1	0	2214	918	539
S13 0	1.513	S13 2	S13 3	S13 4	S13 5	S13 6	S13 7	S13 8	S13 9	S14 0	S14 1

Search History 1/4/06 5:46:55 PM Page 6 C:\Documents\EAST\Workspaces\10717558.wsp

OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01
<b>8</b>	క	g	S.	SO.	æ	Q	8	æ	8	g
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
((second or other or another or top) near2 (waveguide or waveguides or waveguides) or light adj guide) or (light adj guides) or light-guide or light-guiding or light-guides or (light adj guiding) or lightguide or lightguides or lightguides or lightguiding)) with ((different or second) near2 (index or indices))	(single-mode or (single adj mode)) near2 (waveguide or waveguides or waveguiding or wave-guide or wave-guides or wave-guides or wave-guiding or (wave adj guiding) or lightguide or lightguides or lightguides or light-guides or light adj guides) or (light adj guides) or (light adj guides) or coupling))		("2004/0252934").URPN.	"equivalent refractive index"	S133 and (index or indices)	S134 and (index or indices)	S135 and (index or indices)	("2004/0126072").URPN.	S141 and ((second near2 (waveguide or waveguides or guide or guides)) with (index near2 different))	("6115515"   "6282335").PN. OR ("6785449").URPN.
571	263	0	0	952	-	1	-	1	10	2
S14 2	334	S14 4	S14 5	S14 6	S14 7	S14 8	S14 9	S15 0	S15 1	S15 2

2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01
OFF	OFF	OFF .	OFF	OFF	OFF	OFF	OFF	OFF
S.	8	R	8	R	æ	R	æ	S S
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
	10 ("3995311"   "5159699"   "5222162"   "5367584"   "5394239"   "5465310"   "5481633");PN. OR ("5854866");URPN.	2 ((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples)) and (isolator or isolators).ti.	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or regions or section or sections)) and (isolator or isolators).ab.	(multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or section or sections)) and (isolator or isolators).ti.	2 ("2004/0114872").URPN.	2 ("4679894"   "5465310"   "5581642"   "5857039"   "5970186"   "6122416"   "6144780"   "6282335"   "6311004").PN. OR ("6535672").URPN.	7 ("4753505"   "4859059"   "5251274"   "5369718"   "5465310"   "5966493"). PN. OR ("6144780").URPN.	4 ("4026632"   "4400053"   "4431263"   "4439514"   "4483583"   "4536450"   "4581315"   "4615962"   "4759596"   "4950044"   "5071997").PN. OR ("5845025").URPN.
17	20	2	12	m	2	12	7	14
S15 3	S15 4	S15 5	S15 6	S15 7	S15 8	S15 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S16 1

2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01	2006/01/04 10:01
OFF	OFF	OFF	HO H	, FP	OFF	OFF	OFF	OFF	OFF
NO.	8	<b>8</b> .	8	&	8	R	8	R	R
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
("3589794"   "3850503"   "3896402"   "3909108"   "3957341"   "4012113"   "4026632").PN. OR ("4146297").URPN.	("3995311"   "5159699"   "5222162"   "5367584"   "5394239"   "5465310"   "5481633").PN. OR ("5854866").URPN.	(("6535672") or ("6144780") or ("6122416") or ("5854866") or ("5845025") or ("4146297")).PN.	("4679894"   "5465310"   "5581642"   "5857039"   "5970186"   "6122416"   "6144780"   "6282335"   "6311004").PN. OR ("6535672").URPN.	("4753505"   "4859059"   "5251274"   "5369718"   "5465310"   "5966493"). PN. OR ("6144780").URPN.	("4026632"   "4400053"   "4431263"   "4439514"   "4483583"   "4536450"   "4581315"   "4615962"   "4759596"   "4950044"   "5071997").PN. OR ("5845025").URPN.	("20040252957"   "4693547"   "5694498"   "6222951").PN. OR ("6904187").URPN.	"equivalent refractive index" with cladding	"385"/\$.ccls. and (vertical near2 (coupler or couplers))	S142 and (multi-mode or multi-modes or (multiple adj mode) or (multiple adj modes) or multimode or multimodes or mnii)
44	20	9	12	7	<del>ц</del> 4	4	73	136	150
S16 2	33.6	S16 4	S16 5	S16 6	S16 7	S16 8	S16 9	S17 0	S17 1

OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01	OFF 2006/01/04 10:01
US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S143 and (isolator or isolators or isolate or isolates or isolating or isolation or filters or filtering or filtered or circulator or circulators)	(S133 or S147 or S134 or S148 or S135 or S136 or S137 or S138 or S149 or S139 or S140 or S151 or S151 or S170 or S152 or S153 or S154 or S150 or S155 or S156 or S157 or S142 or S171 or S158 or S159 or S160 or S161 or S162 or S163 or S164 or S165 or S166 or S167 or S143 or S172 or S144 or S145 or S168 or S146 or S169) and @pd>"20050725"	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with nonrecipric\$)	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-recipric\$)	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-rerecipri\$)	((second near2 (waveguide or waveguides)) with (different near2 (index))) and ((coupler or couplers or coupling or coupled or couples or couple) with non-recipri\$)
177	251	0	0	0	0
S17 2	S17 3	S17 4	517	S17 6	S17 7

((coupler or couplers or coupling or nonrecipits)  ((coupler or couplers or coupling or nonrecipits)  ((coupler or couplers or coupling or coupling or couplers)
non-recipri\$) ((second near2:(waveguide.or:waveguides));with (different near2:(index)))

2006/01/04 10:01	2006/01/04 10:05	2006/01/04 10:06	2006/01/04 10:08
No.	OFF	OFF	OFF
RO	& S	No.	OR
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
((second near2 (waveguide or waveguides)) with (different near2 (index)))	7 (S93 or S94 or S95 or S96 or S97 or S98 or S100 or S101 or S102 or S103 or S104 or S105 or S106 or S107 or S108 or S109 or S110 or S111 or S112 or S113 or S114 or S115 or S116 or S117 or S118 or S119 or S120 or S121 or S122 or S123 or S124 or S125 or S126 or S127 or S128 or S129 or S130 or S131 or S132 or S133 or S134 or S135 or S136 or S137 or S138 or S139 or S140 or S141 or S142 or S143 or S144 or S145 or S137 or S138 or S148 or S150 or S151 or S152 or S153 or S154 or S155 or S156 or S157 or S158 or S150 or S151 or S152 or S163 or S164 or S167 or S168 or S169 or S170 or S171 or S172 or S173 or S174 or S175 or S178 or S178 or S179 or S180 or S180 or S179 or S180 or S179 or S180 or S174 or S174 or S183 or S184) and @pdd~"20051214"	11 (S93 or S94 or S95 or S96 or S97 or S98 or S99 or S100 or S101 or S102 or S103 or S104 or S105 or S106 or S107 or S108 or S109 or S110 or S111 or S112 or S113 or S114 or S115 or S116 or S117 or S118 or S119 or S120 or S121 or S122 or S123 or S124 or S125 or S125 or S126 or S127 or S128 or S129 or S130 or S131 or S132 or S133 or S134 or S135 or S136 or S137 or S138 or S149 or S140 or S141 or S152 or S153 or S154 or S155 or S156 or S157 or S158 or S150 or S151 or S152 or S153 or S154 or S155 or S156 or S157 or S168 or S169 or S170 or S171 or S172 or S173 or S174 or S175 or S175 or S178 or S179 or S180 or S181 or S182 or S183 or S184) and @pd>"20051214"	#385"/\$.ccis. and ((((multi-mode or multimode) near2 (interference)) or mmi) with (connections or connections or connected or connector or connectors or connect or couples or coupled or coupling or coupler or couplers))
4 4 4	21.8	S18 6	7 218

2006/01/04 10:08	2006/01/04 10:18	2006/01/04 10:22	2006/01/04 10:23	2006/01/04 10:25	2006/01/04 10:26	2006/01/04 11:01	2006/01/04 11:09	2006/01/04 11:17	2006/01/04 11:13	2006/01/04 11:14
NO	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
8	OR	Ŗ Ÿ	ĕ	Ř	8	Ř	S.	S.	용	OR.
EPO; JPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	US-PGPUB; USPAT; USOCR
(((multi-mode or multimode) near2 (interference)) or mmi) with (connection or connecting or connects or connected or connector or connectors or couple or couples or coupled or coupling or coupler or couplers)) and (waveguide or wave-guide or lightguide or light-guide or (light adj guide) or (light adj guides) or (wave adj guide))	2 ("2004/0114872"):URPN.	12 ("4679894"   "5465310"   "5581642"   "5857039"   "5970186"   "6122416"   "6144780"   "6282335"   "6311004").PN. OR ("6535672").URPN.	40 ("4483583"   "4940328"   "5153934"   "5165001"   "5247594"   "5253319"   "5321782"   "5559912"   "5659010").PN. OR ("5857039").URPN.	16 ("3153208"   "4026632"   "4082419"   "4315666"   "4342499").PN. OR ("4483583").URPN.	40 ("4483583"   "4940328"   "5153934"   "5165001"   "5247594"   "5253319"   "5321782"   "5559912"   "5659010").PN. OR ("5857039").URPN.	14 ("4026632"   "4400053"   "4431263"   "4439514"   "4483583"   "4536450"   "4581315"   "4615962"   "4759596"   "4950044"   "5071997").PN. OR ("5845025").URPN.	((first) with ((optical or light or optic) near2 (waveguide or waveguides or guide or guides))) and ((second with ((optical or light or optic) near2 (waveguide or waveguides or guide or guides))) same ((lower or less or smaller) near2 (index or indices)))	27 S195 and (((coupling or coupled or couples or couple or coupler or couplers or connecting or connects or connected or connector or connectors) near2 (region or regions or area or areas )) with "between")	25 ("'S862276"),URPN.	4 ("3781081"   "4240693"   "5173956"   "5367585").PN.
156	2	12	40	16	4	14	525	27	25	4
8 8	S18 9	S19 0	S19	S19 2	S19 3	S19 4	5.19	S19 6	S19 7	S19 8

S19 9	0	S195 and (("between" near2 (waveguide or waveguide or guide or guide or guide or guides or lightguide or light-guides or light-guides)) with ((index or indices) near2 (different)))	US-PGPUB; USPAT; USOCR	&	OFF	2006/01/04 11:18
0 0	31	"385"/\$.ccls. and (("between" near2 (waveguide or waveguide or guide or guide or guide or guide or lightguide or lightguides or light-guides or wave-guide or wave-guides or (wave adj guide) or (wave adj guides))) with ((index or indices) near2 (different)))	US-PGPUB; USPAT; USOCR	8	OFF	2006/01/04 11:19
S20 1	33	("3589794"   "3785717"   "3820871").PN. OR ("3957341").URPN.	US-PGPUB; USPAT; USOCR	SO.	OFF.	2006/01/04 11:23
S20 2	-1	("5845025").PN.	USPAT	8	<b>9</b> 10	2006/01/04 11:23
S20 3	П	S202 and different	USPAT	S.	FFO	2006/01/04 11:25
S20 4	-	("6724968").PN.	USPAT	æ	OFF	2006/01/04 11:25
S20 5	1	S204 and different	USPAT	R	OFF	2006/01/04 11:26
S20 6	-	("6310999").PN.	USPAT	S.	OFF.	2006/01/04 11:26
S20 7	-	S206 and different	USPAT	S.	OFF	2006/01/04 12:55
S20 8	853994	equivalent refractive index	USPAT	OR	OFF	2006/01/04 12:55
S20 9	5	"equivalent refractive index" near2 defined	USPAT	%	OFF	2006/01/04 12:57
S21 0	0	"equivalent refractive index" near2 definition	USPAT	OR	OFF	2006/01/04 12:57
S21 1	429	"equivalent refractive index"	USPAT	8	OFF	2006/01/04 12:58
S21 2	<b>+</b>	10/717,558	US-PGPUB	OR.	OFF	2006/01/04 12:57
S21 3	1	S212 and "equivalent refractive index"	US-PGPUB	OR	OFF	2006/01/04 12:57

Search History 1/4/06 5:46:55 PM Page 14 C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10717558.wsp

OR OFF 2006/01/04 17:29	
USPAT	
9 "equivalent refractive index" with given	
19	
S21 4	-